

STCC TECHNICAL INFORMATION SHEET

TELEPHONES:	EVENTS ADMIN	0151 934 2424
	VENUE FAX	01704 536841
	STAGE DOOR	0151 934 2407
	PRODUCTION	0151 934 2886
	PROD FAX	0151 934 2883

GENERAL MANAGER: LISA CHU
lisachu@theambassadors.com

SENIOR OPERATIONS MANAGER: SARAH MORE
sarahmore@theambassadors.com

TECHNICAL SUPERVISORS JOHN HOPPER
VINNY WHALLEY
johnhopper@theambassadors.com
vinnywhalley@theambassadors.com

SECURITY ARRANGEMENTS ON REQUEST PLEASE CONTACT US TO
DISCUSS

LOCAL FIRE REGULATIONS

*** NO WAIVER IS AVAILABLE FOR THE SAFETY CURTAIN ***

FIRE OFFICER MARK GRACE
TELEPHONE 01704 533274

SOUTHPORT THEATRE

STAGE

PROSCENIUM OPENING	13.35 m
HEIGHT OF OPENING	5.48 m
DEPTH OF STAGE	7.94 m
DEPTH OF APRON	3.6 m
HEIGHT OF GRID	9.21 m
TYPE OF GRID	WOODEN
STAGE FINISH	WOODEN
STAGE	FLAT
ACCESS TO STAGE	GOOD
ACCESS FOR VEHICLES (DOCK DOOR)	GOOD S/R
DIMENSIONS OF DOCK DOOR	2.3 m X 6 m
HOUSE TABS (MOTOR DRIVEN)	VELOR
No 1 RUNNERS	YES
BLACK LEGS & BORDERS	YES

STAGE PIT	NORMALLY COVERED
MOTORISED	NO
PIT ACCOMODATES	5-10 MUSICIANS
SAFETY CURTAIN	YES
TALLESCOPE HEIGHT	7.6 m
PIANO	STEINWAY 9' CONCERT GRAND

(Please advise us if you require this. Piano tuning is recharged @ £55+VAT per tuning)

AUDITORIUM

GENERAL DIMENSIONS;	
REAR OF STAGE	42.61m
MAX WIDTH	24.32m
SEATING	1631
SEATING PLAN	ON REQUEST
BALCONY	NONE
SEATS REMOVABLE	LIMITED & AT ADDITIONAL COST

SIGHTLINES

OBSTRUCTIONS TO PREVENT LIGHTING (CHANDELIERS, etc.)	NONE
---	------

POWER

VOLTAGE FREQUENCY	415 / 240v 50 Hz
POSITION OF MAIN SUPPLY	UPSTAGE LEFT WING
POWER SUPPLIES	63A SINGLE PHASE (CEEFORM) 125A THREE PHASE (CEEFORM WITH 100A LIMITER)
TEMP POWER PANEL (MAX 200AMP TOTAL	DOWNSTAGE LEFT WINGS 200A THREE PHASE (POWER LOCKS) 125A THREE PHASE 32A CEEFORM 16A CEEFORM
POSITION OF DIMMER RACKS	REAR AUDITORIUM
POSITION OF ADDITIONAL RACKS	STAGE WINGS (TOURER)
POSITION OF 13amp RING MAIN	SIDE STAGE & AUDITORIUM
DIMMABLE HOUSE LIGHTS	YES (Controlled from rear auditorium)
REMOTE	NONE

LIGHTING

NORMAL OPERATING POSITION HOUSE EQUIPMENT	THEATRE CONTROL ROOM TWO PANI 1200 FOLLOW SPOTS 3 X 15 CIRCUIT STAGE LX BARS 2 X 3 CIRCUIT F.O.H. BOOMS 1 X 7 CIRCUIT F.O.H. TRUSS 10 X STAGE DIPS ALL ABOVE 2 KW CIRCUITS
OPERATOR	YES
SPOT BARS (A)	CAN BE STRIPPED TO HANG EQUIP
(B)	CAN UNDER HANG BARS (SUBJECT TO WEIGHT)
DIMMERS	80 X 2 KW CIRCUITS

CONTROL	125 CH ETC EXPRESS
REMOTE	NO
INDEPENDENTS	2 (1 X S/L & 1 X S/R)
LANTERNS	1 X 4 CIRCUIT BATTEN
	20 X 1 KW FRESNEL SPOTS
	10 X 1 KW PROFILE SPOTS

FLYING

NUMBER OF HEMP BARS	23
COUNTER WEIGHT BARS	NONE
SINGLE OR DOUBLE PURCHASE	NONE

FRONT TRUSS ON MOTORISED POINTS @ SWL 500KGS PER POINT

SOUND

NORMAL OPERATING POSITION	CONTROL ROOM OR AUDITORIUM
OPERATOR	YES (AT EXTRA COST)
DESK	SOUNDCRAFT 200 B (16,4,2)
FOLDBACK	YES (1-WAY)
F.O.H.	ALTEC THEATRE BINS
DRIVE	F.O.H. HH V 800
FOLDBACK DRIVE	MOS FET 600
FX	ROLAND DEP 3 7 ART PROC

BACKSTAGE

DRESSING ROOMS; NUMBER	6
BAND/ CHORUS ROOMS	2
TOILET & SHOWER FACILITIES	YES / 4
POSITION	REAR OF STAGE
CROSSOVER	YES (REAR OF STAGE)
FACILITIES (LIGHTING, SHOWERS ETC)	YES
DISTANCE FROM STAGE	2 - 3m

CATERING

ROOM IS AVAILABLE BACKSTAGE FOR TOURED CATERING - PLEASE ADVISE US OF YOUR REQUIREMENTS

*** BOTTLED GAS IS NOT PERMITTED ON THE PREMISES ***

CREW MEALS AVAILABLE

ON REQUEST

MISCELLANEOUS

LOOP SYSTEM

INFRA RED LOOP SYSTEM
COVERS ALL AUDITORIUM

LOCAL HUMBERS & CREW

YES (AT EXTRA COST)

CREW WORKING HOURS

AS REQUESTED

UNION

BECTU

HOUSE REPAIR SHOP

YES (SMALL)

PRODUCTION OFFICE

YES

PRODUCTION PHONE

YES, PHONE & FAX LINES

TYPES OF ALARMS

SMOKE & HEAT

FIRE EXTINGUISHERS

GAS, WATER & FOAM

AVAILABLE EQUIPMENT

LIMITED ROSTRA, DRAPES, FLATS,
& TREADS

Theatre hanging plot.

<u>LINE</u>	<u>TYPE</u>	<u>DIST FROM SC</u>	<u>APPROX SWL</u>
House Tab	Fixed (Motorized Op&Cl)	0.05 m	N/A
Fly	1 Hemp	0.25 m	100KGS
L X	1 Wire Winch	0.50 m	400KGS
Fly	2 Hemp	0.75 m	100KGS
Fly	3 Hemp	1.00 m	100KGS
Tab	1 Wire Winch	1.30 m	400KGS
Fly	4 Hemp	1.50 m	100KGS
Fly	5 Hemp	1.65 m	100KGS
RSJ	1 - Available for flying from	1.70m (approx)	TBC
Fly	6 Not fitted	none	N/A
Fly	7 Hemp	1.80 m	100KGS
Fly	8 Hemp	1.96 m	100KGS
Fly	9 Hemp	2.11 m	100KGS
Fly	10 Hemp	2.26 m	100KGS
Fly	11 Hemp	2.41 m	100KGS
L X	2 Wire Winch	3.00 m	400KGS
L X	2A Wire Winch	3.15 m	400KGS
Fly	12 Hemp	3.30 m	100KGS
Fly	13 Hemp	3.45 m	100KGS
Fly	14 Hemp	3.60 m	100KGS
Fly	15 Hemp	3.75m	100KGS
Fly	16 Hemp	3.90 m	100KGS
Fly	17 Hemp	4.05 m	100KGS
L X	3 Wire Winch	5.00 m	400KGS
RSJ	2 - Available for flying from	5.50m (approx)	TBC
LX	3A Wire Winch	5.85 m	400KGS
Fly	18 Hemp	6.00 m	100KGS
Fly	19 Hemp	6.25 m	100KGS
Fly	20 Hemp	6.40 m	100KGS
Fly	21 Hemp	6.55 m	100KGS
Fly	22 Hemp	6.70 m	100KGS
Fly	23 Hemp	7.00 m	100KGS
L X	4 Wire Winch	7.70 m	400KGS

FOH Truss has 2 flying points, motors rated at 500KGS.

All lines are security tagged and cannot be removed from the fixing points. A minimum of 2 flymen per line are required at all times

POWER

VOLTAGE FREQUENCY
POSITION OF MAIN SUPPLY

415 / 240v 50 Hz
TEMP POWER PANEL STAGE
LEFT WINGS - MAX at any one
time 125A PER PHASE.
CONNECTION TYPE AS
BELOW

SINGLE PHASE

125A, 63A, 32A, 16A
CEEFORM

THREE PHASE
POSITION OF DIMMER RACKS
POSITION OF ADDITIONAL RACKS
POSITION OF 13amp RING MAIN
DIMMABLE HOUSE LIGHTS
REMOTE

125A, 63A, 32A, 16A CEEFORM
STAGE LEFT
STAGE WINGS
SIDE STAGE & AUDITORIUM
YES (controlled from STAGE)
NONE

LIGHTING

NORMAL OPERATING POSITION
HOUSE EQUIPMENT

HALL CONTROL ROOM
ONE STRAND C S I FOLLOW
SPOTS
1 X 2 CIRCUIT STAGE LX
BARS
2 X 9 CIRCUIT F.O.H. BARS
4 X STAGE DIPS
ALL ABOVE 2 KW CIRCUITS

OPERATORS
DIMMERS
CONTROL
REMOTE
INDEPENDENTS
LANTERNS

YES
40 X 2 KW CIRCUITS
48 CH STRAND GSX
NO
NONE
6 X PAR CANS
8 X 1 KW FRESNEL'S
6 X 1 KW PROFILE'S

FLYING

NUMBER OF HEMP BARS
COUNTER WEIGHT BARS
SINGLE OR DOUBLE PURCHESS

13
NONE
NONE

SOUND

NORMAL OPERATING POSITION

OPERATORS
DESK

FOLDBACK

F.O.H.

DRIVE

FOLDBACK DRIVE

FX

DIRECT INJECTION BOXES

CONTROL ROOM OR
AUDITORIUM

YES

SOUNDCRAFT SPIRIT LIVE
16ch

YES

PEAVEY HP 2'S

F.O.H. MOS FET 600

MOS FET 400

ROLAND DEP 3 7 ART

1 X ACTIVE & 2 X PASSIVE

DRESSING ROOMS

NUMBER

3 (THREE)

POSITION

REAR STAGE

CROSSOVER

YES (REAR STAGE)

FACILITIES (LIGHTING, SHOWERS ETC)

YES

DISTANCE FROM STAGE

2 - 3m

PROJECTION

CINE;

NONE

MISCELLANEOUS

LOOP SYSTEM

NONE

CREW MEALS AVAILABLE

ON REQUEST

LOCAL HUMBERS & CREW

YES (At cost)

CREW WORKING HOURS

AS REQUESTED

UNION

BECTU

HOUSE REPAIR SHOP

YES (SMALL)

PRODUCTION OFFICE

NO

PRODUCTION PHONE

NO

TYPES OF ALARMS

SMOKE, HEAT etc

FIRE EXTINGUISHERS

CO2, WATER & FOAM

AVAILABLE EQUIPMENT

ROSTRA, DRAPES.

ADDITIONAL EQUIPMENT

1 x OHP

2 x 10 x 7.5FT SCREEN

1 x 12 X 9ft

4 x 6.2 x 5.9

Suitable for front & rear projection

suitable for front and rear projection

suitable for front projection only

1 x 12ft x 9ft

fixed screen on floral hall stage - front projection only

1 x DVD player

2 x data projectors

3 x wooden lecterns

3 x tape recorders / players

2 x CD players

1 x mini disk player

Microphones

10 x sm58's

4 x 747

2 x AKG

4 x hand held radio mics

3 x lapel mics